# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| S1 | 111 | ((Gustavsson near2 Carl) or (Loof near2 Gustaf) or (Andersson near2 Stefan) or (Dahl near2 Stefan)).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/23 13:55 |
| S2 | 3 | ((Gustavsson near2 Carl) or (Loof near2 Gustaf) or (Andersson near2 Stefan) or (Dahl near2 Stefan)).in. (authenticat$5 communicat $4).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/23 13:56 |
| S3 | 165 | 380/247.ccls. (@ad<"20020308") (authenticat$6 messag$4 communicat$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/23 13:59 |
| S7 | 3 | ("380"/$.ccls. or "713"/$.ccls.) (@ad<"20020308") (authenticat$6 messag$4 communicat$4) ((synchroniz $4 near protocol) or (syncML)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/23 14:01 |
| S8 | 4 | ("380"/$.ccls. or "713"/$.ccls. or "726"/$.ccls.) (@ad<"20020308") (authenticat$6 with messag $4 with (synchroniz$4 near protocol) or (syncML)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/23 14:04 |
| S10 | 3 | (@ad<"20020308") (authenticat$6 with messag $4 with (synchroniz$4 near protocol or syncML)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/23 14:05 |
| S11 | 18 | (@ad<"20020308") (authenticat$6 with messag $4) ((synchroniz$4 near protocol or syncML)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/23 14:07 |

| S12 | 23 | (@ad<"20020308") (authenticat$6 with messag $4) (synchroniz$4 or syncML) (GSM UMTS) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/23 14:12 |
| S13 | 18 | S12 not S11 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/23 14:12 |
| S14 | 62 | (authenticat$6 near3 (protocol or method or process$4))(syncML or (synchroni$7 near protocol)) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/23 16:00 |
| S15 | 2872 | (GSM UMTS) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 07:36 |
| S16 | 13 | (WPKI) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 07:36 |
| S17 | 40 | (secureID or safeword) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 07:37 |
| S18 | 4 | (secureID or safeword)(GSM) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 07:37 |
| S19 | 341 | (GSM UMTS SIM) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 07:39 |

| S20 | 29 | (GSM UMTS SIM USIM) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 07:39 |
| --- | --- | --- | --- | --- | --- | --- |
| S23 | 10 | (WPKI) (wireless authenticat $5)(@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 07:42 |
| S24 | 1 | (WPKI) (wireless authenticat $5).ab. (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 07:43 |
| S25 | 5 | (GSM UMTS SIM USIM) (authenticat$5).ab. (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 07:53 |
| S26 | 297 | (authentication near capabilit $4)(@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 08:00 |
| S27 | 235 | (authentication adj capabilit $4)(@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 08:02 |
| S28 | 24 | (authentication near protocol)(authentication adj capabilit$4) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 08:02 |
| S29 | 1 | ("713"/$.ccls. or "726"/$. ccls.) (@ad<"20020308") (authenticat$6 with messag $4 with (synchroniz$4 near protocol) or (syncML)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 08:07 |

| S30 | 3 | ("726"/$.ccls.) (@ad<"20020308") (authenticat$6 with messag $4)( (synchroniz$4 near protocol) or (syncML)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 08:07 |
|-----|---|---|---|---|---|---|
| S31 | 1 | (GSM UMTS SIM USIM)(key MAC HMAC) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 09:08 |
| S33 | 225 | (key near5 encrypt$4 with (public adj key))((generat$4 or creat$4 or comput$4) near3 MAC) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 09:25 |
| S35 | 51 | (key near5 encrypt$4 with (public adj key))((generat$4 or creat$4 or comput$4) near3 MAC)(HMAC) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 09:26 |
| S39 | 29 | (key near5 encrypt$4 with (public adj key))((generat$4 or creat$4 or comput$4) near3 MAC)(HMAC) (authenticat$4 wireless) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 09:27 |
| S40 | 18 | (key near5 encrypt$4 with using with (public adj key)) ((generat$4 or creat$4 or comput$4) near3 MAC) (HMAC)(authenticat$4 wireless)(@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 09:45 |
| S41 | 2 | (key near5 encrypt$4 with (public adj key))((generat$4 or creat$4 or comput$4) near3 MAC)(HMAC)($2SIM) (authenticat$4 wireless) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 11:08 |
| S44 | 12 | ((session or cipher or encrypt $4 or secret) near key near5 encrypt$4 with using with (public adj key))((generat$4 or creat$4 or comput$4) near3 MAC)(HMAC) (authenticat$4 wireless) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 11:15 |

| S45 | 1 | (((cipher or encrypt$4) adj key) or CK)((integrity adj key) or IK)((generat$4 or creat$4 or comput$4) near3 MAC)($2SIM)(HMAC) (authenticat$4 wireless) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 11:33 |
|---|---|---|---|---|---|---|
| S46 | 254 | (secure$2ID or safe$2word or (secure adj id) or (safe adj word)) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 13:15 |
| S47 | 1061 | ((IK or ((itegrity or secret or session or secur$4) adj key)) near3 encrypt$4 with (public adj key)) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 13:16 |
| S48 | 13 | (WPKI)(@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 13:18 |
| S49 | 10 | (WPKI)(authenticat$4) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 13:21 |
| S50 | 11 | (WPKI or (WAP adj (PKI or (Public adj Key adj Infrastructure))))(authenticat $4 server (client or device)) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 13:24 |
| S51 | 671 | ((IK or ((itegrity or secret) adj key)) near3 encrypt$4 with (public adj key)) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 13:26 |
| S52 | 4 | ((IK or ((itegrity or secret) adj key)) near3 encrypt$4 with (public adj key) (authentication with message with wireless) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 13:26 |

| S53 | 1 | (secure$2ID or safe$2word or (secure adj id) or (safe adj word))(authentication with message with wireless) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 13:42 |
| S54 | 1 | (secure$2ID or (secure adj id)) (safe$2word or (safe adj word)) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 13:54 |
| S55 | 100 | ((IK or ((itegrity or secret) adj key)) near3 encrypt$4 with (public adj key) with (apparatus or device or phone or PDA)) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 14:16 |
| S56 | 3 | ((IK or ((itegrity or secret) adj key)) near3 encrypt$4 with (public adj key) with (apparatus or device or phone or PDA) (authentication with wireless)(@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 14:17 |
| S57 | 15 | ((IK or ((itegrity or secret) adj key)) near3 encrypt$4 with (public adj key) with (apparatus or device or phone or PDA) (authentication with message) (@ad<"20020308") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/25 14:18 |

3/25/2008 2:41:04 PM
C:\ Documents and Settings\ lpham7\ My Documents\ EAST\ Workspaces\ 10\ 10-506-943.wsp